



Message from the Director

As a new year is upon us, we at the University of Kentucky College of Medicine, Division of Community Medicine, want to wish every one of our members, partners, and colleagues a safe and prosperous year that is full of happiness and health.

Recently, our country swore in a new U.S. President and, as with any new administration, it will lead to changes throughout our great nation, including ones that will most likely impact our healthcare system. This past election year was tumultuous at best, creating a sense of division in a country that promulgates itself on inclusiveness. What is important at this very moment is to detach from the chaos and take a second to pause and reflect. We must remember that it is the very right to express our views and opinions (in a safe and nonviolent manner) that unites us – making us One Community.

Our **Comm**<u>unity</u> is based on a **Common** <u>Unity</u>. Our Unity is what binds us together as a people that serve one another. Community Medicine is the practice of medicine that con-

siders the unique characteristics and factors of an individual in the context of their community and the impact it has on the individual's health. This is the practice of "inclusiveness" in medicine. We need to challenge ourselves to listen to patients without preconceived assumptions. More im-

portantly, we need to treat and respect our patients based on their personal beliefs and cultures. That is when we are a CommUNITY.





Roberto Cardarelli, DO, MHA, MPH, FAAFP Director, KAN Professor and Chief of Community Medicine of Community Medicine




In This Issue

- MD/MPH Program
- Regional Campus Expansion
- Member Spotlight–Dr. Oteham
- TLC Publication & CAIPEC on KET
- Faculty opportunity
- DCM Summer Research Fellowship
- Remembering Dr. Rucker

Winter in Kentucky

The MD/MPH Program

The University of Kentucky College of Medicine MD/MPH program (supported by the Department of Family Medicine's Division of Community Medicine) is a 5-year dual degree program designed to develop the future clinician and public health leader obtain high-quality clinical skills, become



experts in health-related research, and gain analytical skills and health system knowledge. Students who wish to develop a strong understanding of population health, its influences, and how this integrates into their future clinical career can obtain an MD/MPH degree at UK now in just 5 years. Division of Community Medicine and College of Medicine/ Public Health faculty serve as advisors and mentors to MD/MPH students. Here is what some current students have to say about the program:

"Earning an MPH will give me a more comprehensive understanding of the healthcare system within which I operate, a more profound knowledge of health disparities, and an ability to contextualize my work in terms of preventive and population-based health." **Ali Hall, 3rd year MD/MPH Student**

"Becoming an MD/MPH equips me with unique and powerful tools for research, health management, health policy, and improving the health of more than just the patient sitting in front of me. It not only sets me apart as an applicant for residency, but also gives me the ability to help more, do more, and bring more to the table as a physician." **Sarah Covey, 3rd year MD/MPH Student**

UK College of Medicine Regional Campus Expansion (by Linda Asher)

Work is underway on the UK College of Medicine Regional Campus Expansion initiative. Eight Regional Campus Expansion subcommittees were established to define the needs and design of regional campuses. These subcommittees included more than 80 UK faculty and staff along with representatives from the Medical Center of Bowling Green, Western Kentucky University, St. Claire Regional Medical Center and Morehead State University. In mid-October, a visiting dean with experience in developing regional campuses met with the subcommittees to provide advice and feedback. His recommendations validated the work conducted by the subcommittees and leadership.

In October 2016, we moved from the planning, design and development phase of this strategic initiative *to* implementation phase, including the sequential deployment of our regional campus sites (Bowling Green Campus/August 2018 and Morehead Campus/August 2019). The UK COM–BG campus will be a 4 year UK COM medical campus with the same curriculum (identical in educational content, learning objectives, assessments, etc.). A governance structure to support this initiative has been established. The primary purpose of this committee is to provide overall implementation over-



sight and guidance to the Joint Operational Work Groups, review and assess recommendations of the Joint Operational Work Groups, and manage and prioritize the execution of the implementation plan. The Joint Implementation Committee is accountable for the work groups and report back to the Joint Executive Oversight Committee. The Work Groups are building admissions processes, the curriculum, faculty appointment processes, facilities and classroom space, and all aspects of medical student life, to be ready in 2018.

KAN Member Spotlight

Dr. Larry Oteham has been a KAN member since 2015. Larry has been an enthusiastic KAN member since he was first introduced to KAN through another KAN member (John Rehmeyer, the former Executive Director of the Appalachian Osteopathic Postgraduate Training Institute Consortium (A-OPTIC)). Dr. Oteham spent 10 years in St. Louis, where he completed his residency at Des Peres Hospital, and then practiced family medicine in suburban St. Louis. In 2011, he made his way to Pikeville, Kentucky to teach and precept at the University of Pikeville Kentucky College of Osteopathic Medicine Residency program. In 2013, the need for more Osteopathic Residency training sites in Kentucky became apparent, so Dr. Oteham moved to Somerset and opened his current practice (Lake Cumberland Medical Associates), which is now a Resi-



dency training site for osteopathic students. Dr. Oteham is currently the Director of Medical Education, and the Family Medicine Residency Program Director at Lake Cumberland Medical Associates.

Dr. Oteham sees diabetes, smoking, and obesity as the greatest health related issues in his patient population that could benefit from research. He is currently most interested in researching diabetic retinopathy because he believes that with the high prevalence of diabetes in our state, a huge impact could be made on decreasing loss of sight due to diabetes.

When asked about the role of KAN in meeting the research goals of physicians like himself, Dr. Oteham stated "When I think about KAN, I think about the statistic I was once told regarding the number of years it takes for a research finding to become part of routine clinical practice (17 years). Rather than conducting research solely in a University setting, KAN helps clinics in our communities make educated practice changes which intend to benefit our patients and communities. These methods of change are researched to determine their effectiveness, and the results are reported back to the participating clinics. With this community-based research approach, we can be confident that research results are relevant to primary care practice in the community setting. KAN has a financial impact on our communities too, funding and supporting new jobs through grant awards."

KAN Member Clinic Visits

Jennifer Schilling, our KAN Coordinator, continues to travel the state visiting member clinics across Kentucky. The purpose of these brief visits with practice managers and/or practice providers is to touch base with members, to assess their interests and needs, and to share the latest <u>free resources</u> created for our members and colleagues. If you have not received a visit from Jennifer, expect to be contacted about scheduling one soon. Feel free to reach out to Jennifer to get your clinic on the schedule at: <u>KAN@uky.edu</u>.

If you know of a colleague who may be interested in being a KAN member, please invite them to join, and forward them this Newsletter!



A Terminate Lung Cancer (TLC) manuscript was published in *Cancer Epidemiology* in January 2017. Congratulations to the TLC team, and authors: Roberto Cardarelli, David Reese, Karen L. Roper, Kathryn Cardarelli, Frances J. Feltner, Jamie L. Studts, Jennifer R. Knight, Debra Armstrong, Anthony Weaver, Dana Shaffer.

ABSTRACT

For low dose CT lung cancer screening to be effective in curbing disease mortality, efforts are needed to overcome barriers to awareness and facilitate uptake of the current evidence-based screening guidelines. A sequential mixed-methods approach was employed to design a screening campaign utilizing messages developed from community focus groups, followed by implementation of the outreach campaign intervention in two high-risk Kentucky regions. This study reports on rates of awareness and screening in intervention regions, as compared to a control region.

100000	Contents lists avail	able at ScienceDirect
A CONTRACTOR OF	Cancer En	idemiology
The Internati		pidemiology, Detection, and Prevention
FISEVIER	urnal homepage: www	.cancerepidemiology.net
CLOC FILIN		
		nixed-methods population
		ning awareness and low-dose 🏾 🖤
computed tomography	in Eastern Kentu	icky
Roberto Cardarelli ^a , David Ree	se ^b , Karen L. Roper ^{3,4}	, Kathryn Cardarelli ^c ,
Frances J. Feltner ^d , Jamie L. St	udts ^e , Jennifer R. Knig	ght ^f , Debra Armstrong ⁸ ,
Anthony Weaver ^h , Dana Shaffe		
⁴ University of Kennaky College of Medicine, Departer Instructor, ICC 40904-3504 USA	ent of Family & Community Medicin	Division of Community Medicine, 2295 Harrodsburg Road,
* Annalachian Ostronothic Pesternahuate Training hot	tate Consortium, Pikeville, RY, USA	
⁴ University of Kentucky College of Public Health/Depo ⁴ University of Kentucky College of Medicine, Center of Conversity of Kentucky College of Medicine, Center of Conversity of Kentucky College of Conversion (Conversion), Conversion (Conversion), Conversion, Co	Cocchence in Rural Health & Kentos	Sy Homeplace, Hepped, KY, USA
⁴ University of Restucky College of Medicine, Departm ⁷ University of Restucky College of Public Health/Depa	ient of Bohavianal Science, Leuington,	KY, 1254
* The Rentacky Cancer Program, Losington, RY, USA th University of Rentacky College of Medicine, Morehou		
 - onmerany of Mentacky Callege of Medicine, Morehos University of Pileville, Nentacky Callege of Osteopath 	ic Medicine, Appalachian Osteopathi	Postgraduate Training Consortium, Pikeville, RY, USA
"University of Restactly Callege of Medicine, Morehov University of Prioville, Neutracky Callege of Octoopat	ic Medicine, Appalachian Osseopartis A B S T R A C T	Record, non-tender, A. C. Corresorthom, Pileville, RC 12A
University of Pileville, Nentality Callege of Ottropat	A B S T R A C T	Pergraduate Training Consortions, Pileville, KC 1551
University of Pilevilli, Nestady College of Ostropati A R T I C L E I N F O Article Nessoy: Received 16 August 2005	A B S T R A C T For low dose CT lung cance	Pergenduar Paining Conortium, Peleville, RY, 155 r screening to be effective in curbing disease mortality, efforts are needed to
University of Phieville, Nettody Callage of Datespath A R T I C L E 1 N F 0 Article bittory: Received 16 August 2005 Received 16 narrows 2016 Accorated 4 Notember 2016	A B S T R A C T For low dose CT long cance overcome barriers to aware A sequential mixed-method	Prograduate Paining Consortion, Pilerolle, RC 054 r sorreoring to be effective in cubing disease mortality, efforts are needed to ness and facilitate regulate of the content evidence-based screening galdelines to spraced wave removing canadigar utility moving galaxy.
University of Pileville, Nentality Callege of Ottropat	A B S T R A C T For low dose CT long cance overcome barriers to aware A sequential mixed-method	Integraduat: Intering Constraint, Priorite RC 156 restorening to be effective in carbing disease mortality, efforts are needed to ness and Lecificate spatial of the current evidence based scorening galdelines to be compared. The second score of the surfaced campaign
Utiverstý of Plieville, Restady Callage of Oscopat A NTICLE INFO Antičk hietory: Received I A Social 2005 Received I a revision 23 October 2016 Accegied a Hovember 2016 Accegied A Hovember 2016 Received I A November 2016	A B S T R A C T For low dose CT hung cance overceren barriers to anware A sequential mixed-method developed from communi intervention invoo hijk-in-	Integraduate Thinky Countrian, Hierdis PC, USA Instructional Development of the second
"University of Phieville, Resnably Callage of Oscopart A R T I C L I IN F O Antific I heary	A B S T R A C T For low dose CT hung cance overceren barriers to anware A sequential mixed-method developed from communi intervention invoo hijk-in-	Integraduar Italiang Casarchine, Piloritle RC 1551 r streering to be effective is carbing disease networking effects are neored to trans-and facilitate uptake of the current objective-based screening gatekines, Lapproach wave employed to delign a screening campaign will aring message distributed program. This study respect on and the discrementary and the screening distributed program. This study respect on active of severes and a screening and the scre
"University of Phievilic, Resnady Callage of Oscopati A R T I C L I I N F 0 Antick hency: Reserved 14 August 2005 Reserved 1	A B S T R A C T For low dose CT hung cance overceren barriers to anware A sequential mixed-method developed from communi intervention invoo hijk-in-	Integraduate Thinky Countrian, Hierdis PC, USA Instructional Development of the second
University of Phieville, Rentady Callage of Disceptible A R T I C L E 1 N F O Article history: Rented 16 August 2005 Rented 16 August 2005 Rented 16 August 2005 Rented 16 August 2005 Analiable online xxx	A B S T R A C T For low dose CT hung cance overceren barriers to anware A sequential mixed-method developed from communi intervention invoo hijk-in-	International: Shares Quantum, Review CR, KM. International Contractions of the Contract of Contract of Contract on Contract
Conversion of Phareniki, Sensicity College of Decemper A RTICLENT O ARTICLENT O	A B S T R A C T For low does of the second s	herepader: here (searches, Reich, 27, US) reservang to be effective is calling discose neurality, effects are seeded to reserve and to little search or control orders have a secret of the search of the search order or control order have a secret discosed by expose. This study reports on the datasettement and a conting the search order of the search order or the search order of the exposer on secret ally by eXPS and the search order of the search order cancer monitorial by the 24 search order order or the search order of the cancer monitorial by the 24 search order of the search order of the search order of the based order of the search order of the search order of the search order of the search order of the search order of the search order of the based order of the search order of the search order of the search order of the search order of the search order of the search order of the based order of the search order of the search order of the search order of the search order of the search order of the search order of the search order of the search order of the search order of the search order of the search order of the search order of the search order of the search order of the search order of the search order o
"Ghreening of Phenelik Benshik College of Decemped "ATTICLENT O ATTICLENT O A	A B S T R A C T A B S T R A C T For low dose CT hang came were come barriers to aware avereant intervention two light-ri- intervention two light-ri- intervention regions, as on see of cancer death in the	Interplant: Ihming Countrian, Reviels, PC (SS) inspecting to for effective in carbing discare meetafulty, effecti are used of inter- tion of the analysis of the current overlands based on entering galabilities the same of the current overlands and the same of the s
Tomore of Phone Section 2 States of Storaged Art TLCL 18 FO And TLCL 18 And TLC	at bleine, igpdaction itsoopatia A B S T R A C T For low dose CT hang caince developed frame communi- intervention in two high-ri- intervention in two high-ri- sing of cancer death in the 1 in 4 cancer deaths [2].	Anompaker: Investigation (Investigation) (Inve
A TICLE IN TO ANY A CARL AND ANY A CARL ANY ANY ANY ANY A CARL ANY	In theirse, Appalaction transports A B S T R A C T For low done CT hing came average the second second second second average the second second second second average the second second second second intervention regions, as co intervention regions, as co to a cancer death in the 1 in 4 cancer death [2], shy poor, with only 18% of the S - S - S - S - S - S - S - S - S - S	Averadent: howay Countrum, Ruccik, PC (M) inserting to be effective in cathing discare merclafty, efforts are worked to the sertical and a start of the counter operative based on corresting galability of the counter operative based on the serting galability of the counter operative based on the serting galability of the counter operative based on the serting galability counter metally by 2021 Counter of the serting failing with the counter metally by 2021 Counter of the serting failing with the counter metally by 2021 Counter of the serting failing with the counter metallity by 2021 Counter of the serting failing with the counter metallity by 2021 Counter of the serting failing with the counter metallity and the serting failing with the serting failing with except data of the serting failing with the serting failing with the counter metallity and the serting failing with the serting failing with the counter metallity and the serting failing with the serting failing with the serting serting failing with the serting failing with the serting failing with the serting serting failing with the serting with the serting failing with the serting serting failing with the serting with the serting failing with the serting serting failing with the serting with the serting failing with the serting serting failing with the serting with the serting failing with the serting failing with the serting serting failing with the serting with the serting with the serting failing with the serting serting with the s
transmit freeds. Similar State of tangent was tracked by the second se	ex tediene, Appdassien tronquette A B S TR A C T For low door CT lang camer mercore burriers laware com- developed frame communi- intervention in rows lagh-ri- metry entropy of the second second mercore double law burry poor with one of camor double law 1 and camor double law burry poor with one of the second second law poor second second law law burry and law burry burry second second second law burry to the second second law burry second second second second law burry second second second second second second second second second second second second second second second second second second second secon	Anompaker: Investigation (Investigation) (Inve
travenicy development. Similar (stage of tompet	A BSTRACT Before detection of the second se	Neurodent: howay Countrus, Ruccik, PC (M) reserving to be effective to college disease merculary, efferin are worked to reserve and failures update of the counter optications have a segment of the country of the second s
transmit Amerika, Sankar Alaman, Sakar Alaman, Sakar Alaman, Sakar Alaman, Sakar Alaman, Sakar Alaman, Sakar	In todium, Apadatsia trongentia A B STR ACT For low donce CT lang cancer reversere harrier la aware A sequential ratio demotion la aware and the sequence of the sequence of the interventian regions, as co interventian regions, as co in a cancer dealth [2], the change in these set of cancer dealth [2], the change in these set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if mential for change in the set is locat in JMI (223) if men	Averagence: however, Reverse, RC, KM. reserving to be effective in carbing situace meetafulty, effects are vested in the second situation of the contrast vested situation of the second situation of second situation of the second situation of the second situation of second situation of the second situation of the second situation of second situation of the second situation of the second situation of a contrast research of the second situation of the second situation of second situation of the second situation of the second situation of second situation of the second situation of the second situation of second situation of the second situation of the second situation of second situation of the second situation of the second situation of second situation of the second
transmit freeming, listing of tangent services and the services of th	In todium, Apadaxiai Oronpatika A B STRACT For low dong CT lang cancer overcome harrings to aware A sequential instal entries to aware A sequential instal entries to aware interventials regions, as co interventials regions, as co in a cancer deaths [2], hypopol, why dong MSB of a sequence deaths [2], hypopol, why dong MSB of a set is cost in ballet a set is cost in ballet 2, 2015, by the Centers B (and CADE) and a set is cost in ballet 2, 2015, by the Centers B (and ballet) and the Center B (and ballet) and	Internation: however, Review, RF, USA reserving to be effective to college dragse merculary, efferin are worked to reserve and an effective to college dragse merculary, efferin are worked to dragse dragse merculary and the second second second second second dragsed by a second second second second second second second dragsed by a second second second second second second second effective dragsed by a second second second second second second effective dragsed by a second second second second second effective dragsed by a second second second second second second effective dragsed by a second second second second second second effective dragsed by a second second second second second second effective dragsed by a second second second second second second effective dragsed by a second second second second second second effective dragsed by a second second second second second second second effective dragsed by a second se
transmit freems. Similar Status of tonget AN ITELE INFO AN ITELE AN	In today, plantain trougetti A B STR ACT For low down CT lang cancer exercises burners to assure of the event of the strength of the strength there are also as the strength of the strength of the intervention regions, as on the strength of the strength of the strength of the the strength of the st	Averader: hence Constraints, Reviels, PC, USL secreting to be effective in carbing discore meetafility, effects are veeded for the constraint of an effective internet organisms. Subset conversion and an effective discore and an effective internet of an effective internet an endpane of the anomen. Showing the constraint of an endpane of an endpane, the constraint of an endpane and the constraint of an endpane internet and endpane and an endpane internet and endpane internet. The anomenal convert model on the constraint of an endpane internet and endpane constraint endpane internet and endpane internet. The anomenal convert model on the constraint of an endpane internet and an endpane internet and an endpane internet and an endpane constraint endpane internet and an endpane internet and an endpane internet and an endpane internet and an endpane endpane internet. The analytic endpane internet and an endpane internet and an endpane internet and an endpane endpane internet and an endpane internet and an endpane endpane internet and an endpane internet and an endpane internet and an and an exception endpane internet and an endpane internet and an and an exception endpane internet and an endpane internet and an endpane endpane internet and an endpane internet and an en
transmit freems. Similar Status of tonget AN ITELE INFO AN ITELE AN	In today, plantain trougetti A B STR ACT For low down CT lang cancer exercises burners to assure of the event of the strength of the strength there are also as the strength of the strength of the intervention regions, as on the strength of the strength of the strength of the the strength of the st	Averador: how constraints, Reviels, PC, USL in severing to for effective in carbing discore mescality, efferts are vested in the severing of the enter of the severing additional the severing of the severing of the severing additional the severing of the severing of the severing additional the severing of the severing of the severing additional constraint motifying by 2PC compared to that addition to enter a 2018 Biolecus (LA, Minghese et al. 1997). Constraint motifying by 2PC compared to standard chest is a capanism constraint motifying by 2PC compared to standard chest is a capanism constraint motifying by 2PC compared to standard chest is a capanism constraint motifying by 2PC compared to standard chest is a capanism propertypic, Stemickly varies of 29.5 and 7.30 apr 1000000 propertypic, Stemickly varies of 29.5 and 7.30 apr 100000 propertypic, Stemickly varies of 29.5 and 7.30 apr 100000 propertypic, Stemickly varies of 29.5 and 7.30 apr 100000 effects are made to exercise information deviage and the sevent of the sevent property stemic of 29.5 and 7.30 apr 100000 propertypic, Stemickly varies of 29.5 and 7.30 apr 100000 effects are made to exercise information deviage and the sevent propertypic and the property stemic of 29.5 and 7.30 apr 100000 effects are made to exercise information deviage and the sevent propertypic and the propertypic and the sevent by 10.5 and 7.30 apr 100000 effects are made to exercise information deviage and the sevent propertypic and the propertypic and the sevent by 10.5 and 7.30 apr 100000 effects are made to exercise information deviage and the sevent by 10.5 and 7.30 apr 100000 effects are made to exercise information deviage and the sevent by 10.5 and 7.30 apr 100000 effects are made to exercise information deviage and the sevent by 10.5 and 7.30 apr 100000 effects are made to exercise information deviage and the sevent by 10.5 and 7.30 apr 1
Conversion of Phareniki, Sensicity College of Decemper A RTICLENT O ARTICLENT O	It utokine, plaquatiski torogenti ATTACTT The Toro face C lang anexe support of the torong and t	Anomalene home Gowman. Review CF (15) an enversion is the first interval of these mentality, efforts are used of the second

Dr. Elder and CAIPEC Featured on Kentucky Educational Television (KET)

KET's show, Health Three60, recently aired an ongoing initiative entitled Inside Opioid Addiction: Ex-

amining the Epidemic. Dr. Elder (psychology) sat on a panel with Dr. Murphy (medicine) and Dr. Garvey (physical therapy) and discussed the scope of pain management within the U.S. health care system, best practices for managing chronic pain, understanding the struggles of patients with chronic pain, and non-prescription treatments for chronic pain. Dr. Elder spoke about the mission, structure, and enduring online education materials of the Central Appalachia Inter Professional Pain Education Collaborative.



To view the article and a recording of the broadcast, visit: <u>http://www.ket.org/health/pain-management-without-addiction/</u>.

INSIDE OPIOIC ADDICTION



All of our open positions involve teaching medical students and/or residents. Faculty physicians have the opportunity to practice medicine that fulfills their personal interests. Flexible positions are available that include opportunities for research, inpatient medicine, and obstetrics. We are committed to developing each of our faculty members so they can achieve their personal career goals and move up the ranks through promotion. Faculty are supported through mentorship, enterprise resources, and being part of one the largest healthcare systems in the state, UK HealthCare. We offer competitive salaries and outstanding benefits, including a very generous retirement contribution plan, college tuition reimbursement for dependents, excellent healthcare and dental coverage, disability and life insurance,

plus paid CME and vacation.

I

Please call us at 859-323-5988 or email DFCMjobs@uky.edu for more information.

Kevin A. Pearce, MD, MPH Professor and Chairman



DCM Summer Research Fellowship (CM-SRF)

Last summer, the DCM inaugurated a new summer research fellowship program to encourage current first-year medical students to engage in research and scholarship under the direction of a department faculty member.

We want to encourage other mentors and their students at UK to take advantage of the CM-SRF opportunity, using the \$1500 student stipend it offers to promote work in their areas of interest in community/primary care-based research! Find application information for the 8-week program within our landing page at <u>https://familymedicine.med.uky.edu/fm-research</u>

A lot can be accomplished in a few short summer weeks! Our 2016 recipient Erica Schuster, working under the guidance of her mentor Dr. Lars Peterson, presented her results at the North American Primary Care Research Group annual meeting in Colorado Springs this past November. The abstract of her work, titled *"Residency Characteristics Associated with Population Health Management Prepared-ness,"* is also available at the link above.

In Memory of Drema Rucker, MD

The Kentucky Ambulatory Network mourns the death of Dr. Drema Rucker, one of our members this past December. Dr. Rucker practiced family medicine at St. Claire Regional (SCR)'s Frenchburg clinic. She started serving the region at the Morehead Clinic in 2003, and continued to serve there as it became part of SCR in January of 2011. In 2012, she began serving as a family provider for the St. Claire Regional Family Medicine location in Frenchburg. *"Dr. Rucker was a great physician and leader,"* says Mark J. Neff, President/CEO of SCR. *"She will be terribly missed by all who knew her. On behalf of everyone at SCR, we extend our prayers and deepest condolences to her family and friends, and the many patients and colleagues whose lives she touched."*



Do you have a clinical or practice related question?

Do you have a question regarding clinical or health/disease related issues? Or do you have a question based on experiences in your medical practice? We want to hear from YOU about the issues you see and experience in your primary care practice. We may be able to help you find an answer, or perhaps even turn your question into a research project. Fill out this 5 question online survey <u>here</u>, or email KAN@uky.edu.


UK Division of Community Medicine Team:























Staff: Karen Roper, PhD; Linda Asher; Jennifer Schilling, MPH; Sarah Weatherford, MSc; Ashley Gibson, MS

Administrative Support: Madeline Slimack, Jackie King

Get Engaged with KAN and the Division of Community Medicine

We often hear the question, "We are primary care, why should we be involved with research?" Our responses are always the same, "Because if we don't do it, no one will create the knowledge and evidence we need to practice the medicine our patients and communities expect and deserve from us."

Primary care providers have a vital role in advancing the knowledge of our professions. Practice-based research groups grew from the realization that much of the research that is done in tertiary medical centers has little applicability to the practice of outpatient and ambulatory medicine. KAN invites all its members to participate in research that will have little hindrance to, and may even benefit you in your daily practice. We welcome your ideas and engagement with the numerous resources and opportunities that we offer!

Contact Us

Give us a call for more information about our program and research.

KAN/Division of Community Medicine 2195 Harrodsburg Rd. Lexington, KY 40504

(859) 323-6713

KAN@uky.edu

Visit us on the web at www.familymedicine.med .uky.edu/family-medicineabout-division-community -medicine

Community. Medicine. Research.

KAN/Department of Family & Community Medicine 2195 Harrodsburg Rd. Lexington, KY 40504 PLACE STAMP HERE